

DATA SPECIFICATIONS

spices

Crispy Fried Onions

Spice



Product description

Onions (75%), palm oil (untempered) RSPO certificate, wheat flour and salt.

Application

Crispy Fried Onions are ready for consumption.

Packing Details, Shelf-life and storage

(4x2,5kg) 450kg net weight; Unopened 12 months from date of manufacture; Store in a cool place between 15°C and 25°C; dry and sheltered from direct (sun) light.

Sensory

The product colour varies later in the season from light brown to brown; Smell and taste are typical; crispy consistency; golden yellow brown.

Country of Origin

Netherlands



Crispy Fried Onions

DATA SPECIFICATIONS

PHYSICAL AND CHEMICAL STANDARDS

Peel	> 10mm - Number: 1
Peel	6-10 mm - Number: 3
Peel	3-6mm - Number: 10
Root ends	Number: 2
Onion pieces	< 2,5 mm - Number:
humidity	Number: < 5%

MICROBIOLOGICAL STANDARDS

Total germ count	max. 5000
Moulds	max. 100
Yeasts	max. 100
E.Coli	< 10
S. aureus	< 100
Enterobacteriaceae	< 10
Salmonella	absent in 25g
Listeria monocytogenes	absent in 25g

ALLERGENS: GLUTEN

The product complies with EU food law and its implementing regulations on phytosanitary and pest control residues and heavy metals. The goods conform to the current version of the residue-maximum-quantity-ordinance (RHmV).

NUTRITIONAL VALUES

- of which sugar	9 g
Energy value	2.450 kJ / 590kcal
Carbohydrate	40 g
Protein	6 g
Fat	44 g
- of which saturated fatty acids	21 g
Fiber	5 g
Salt	1,2 g

Crispy Fried Onions

DATA SPECIFICATIONS

LIST OF ALLERGEN

Allergen	According to recipe included		In traces possible (cross-contamination)	
	no	yes	no	yes
cereals (gluten)		x	x	
crustaceans	x		x	
egg	x		x	
fish	x		x	
peanut	x		x	
soya	x		x	
milk	x		x	
nuts	x		x	
celery	x		x	
mustard	x		x	
sesame	x		x	
sulphur dioxide & sulphate	x		x	
lupin	x		x	
molluscs	x		x	

Legal information and Certificates

The product complies with the requirements of German food law and EC regulations.

IFS, ISO22000:2011, ISO22000:2005, ISO22002-1:2009, FSSC22000, ISO9001:2008, Halal, Kosher, NON-GMO of SGS, HCCP

The specification is valid until revoked and replaced all previous issues.